

From: Garcia-Bakarich, Luis [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8995B2CA97114A7C88D7FCFA0FB11D7B-LGARCIO2]
Sent: 2/23/2017 9:25:16 PM
To: Floyd. Megan [FloydM@saccounty.net]
CC: Van Buren. James [VanBurenJ@saccounty.net]; Killou, Wendy@Waterboards [Wendy.Killou@waterboards.ca.gov]; Rezvani, Ali@Waterboards [Ali.Rezvani@waterboards.ca.gov]
Subject: RE: Sacramento County ALE(s)

Luis M. Garcia-Bakarich (WTR 3-1)
Drinking Water Management Section
Water Division
U.S. EPA Region IX
75 Hawthorne St.
San Francisco, CA 94105
garcia-bakarich.luis@epa.gov
Telephone: (415) 972-3237
Fax (415) 947-3545

Megan Floyd, R.E.H.S
Environmental Specialist
Sacramento County Environmental Management Department
10590 Armstrong Ave, Mather CA 95655
(916) 876-7888
(916) 875-8513 Fax

From: Garcia-Bakarich, Luis [<mailto:Garcia-Bakarich.Luis@epa.gov>]
Sent: Thursday, February 23, 2017 8:05 AM
To: Jameson. Lisa Jean; Floyd. Megan
Cc: Rezvani, Ali@Waterboards; 'Killou, Wendy@Waterboards'
Subject: Sacramento County ALE(s)

Hello Lisa,

As part of EPA's ongoing monitoring of lead and copper rule, we received a new round of PB90 information from SDWIS, and I wanted to check with you to verify the following Action Level Exceedances (ALE(s)) for lead:

CA3400149	RANCHO MARINA
-----------	---------------

0.064 mg/L 7/27/2016

CA3400229	RIO COSUMNES CORRECTIONAL CENTER [SWS]
-----------	--

20 mg/L 7/13/2016

CA3400332	OXBOW MARINA (SWS)
-----------	--------------------

0.078 mg/L 9/6/2016

CA3400335	HOLIDAY MOBILE VILLAGE
-----------	------------------------

35.2 mg/L 9/7/2016

If this is a valid ALE, please verify if:

- Public education was provided by the PWS;
- WQPs were collected; and
- any other action (e.g. CCT study) is required.

Thank you,

Luis

$$\overline{\alpha} \cdot \dots > \langle (((0) \cdot \overline{\alpha} \cdot \dots > \langle (((0) \cdot \overline{\alpha} \cdot \dots > \langle (((0) \cdot \overline{\alpha} \cdot \dots$$

Luis M. Garcia-Bakarich (WTR 3-1)
Drinking Water Management Section
Water Division
U.S. EPA Region IX
75 Hawthorne St.
San Francisco, CA 94105
garcia-bakarich.luis@epa.gov

Telephone: (415) 972-3237
Fax (415) 947-3545

County of Sacramento Email Disclaimer: This email and any attachments thereto may contain private, confidential, and privileged material for the sole use of the intended recipient. Any review, copying, or distribution of this email (or any attachments thereto) by other than the County of Sacramento or the intended recipient is strictly prohibited. If you are not the intended recipient, please contact the sender immediately and permanently delete the original and any copies of this email and any attachments thereto.